

<b>December 2024 BDS Updates Summary ( more than 18 items in eight divisions and two appendices)</b>			
<b>BDS Division</b>	<b>Division Name</b>	<b>Section #</b>	<b>BDS Revision Description</b>
Division 00	Processing the Work	00 00 17.9	Removed FITS from Sustainability Stakeholder Team
Division 00	Processing the Work	00 00 38.15	Removed paranthetical words (gender inclusive)
Division 00	Processing the Work	00 00 41.8.4	Deleted an obsolte training video link
Division 1	General Requirements	01 79 00.1	Added 30 days advanced notification requirement for scheduling equipment training
Division 1	General Requirements	01 92 23.2	Updated data export instructions
Division 02	Existing Conditions	02 82 00. (1)(1.1)(f)(2.)	Changes to Asbestos testing as requested by EHS
Division 09	Finishes	09 51 00. (1)	require enhanced sag & humidity resitance for ACT requested by FOD
Division 26	Electrical	26 27 03.3.1	Removed set number of spares to be provided for switchgear/switchboards after discussing with UE and MC Engineering as well as OPS MEP. Standard hampered design and cost more than was needed or would ptoentially be utilized in future.
Division 26	Electrical	26 30 10 .1.2	Added commentary to ATS section regarding code required testing at FOD maintenance's request.
Division 28	Electronic Safety and Security	28 10 05	Reworked entire section per direction from DPS with input from OTDI and A&P. Moved CCTV entirely to 28 23 23 and App Y
Division 28	Electronic Safety and Security	28 23 23	Reworked entire section per direction from DPS with input from OTDI and A&P.
Division 32	Exterior Improvements	32 80 00.1	Changed "central controller" to "central control system"
Division 32	Exterior Improvements	32 80 00.2	Revised seeds composition
Division 32	Exterior Improvements	32 92 19	Removed seeding windows definition to give projects more flexibility when seeding
Division 33	Utilities	33 63 55, Part 2 3, 3.1	Reclassified the pipe insulation in vaults to the same category as trenches and manholes for higher tolarence for moisure
Appendix M	Communications Cabling Standard	Section VI 1.A	Technology Cable - replaced C6RRW with HC6RRW per OTDI
Appendix M	Communications Cabling Standard	Section VI 2.A	Technology Cable - replaced C6RPW with HC6RPW per OTDI

December 2024 BDS Updates Summary ( more than 18 items in eight divisions and two appendices)			
BDS Division	Division Name	Section #	BDS Revision Description
Appendix Y	Basic Security Planning - Minimum Design Requirements	Design intent for CCTV cameras and video managment systems	Reworked entire section per direction from DPS with input from OTDI and A&P.